

2008 Spey line recommendations

RIO is pleased to be able to provide this line recommendation for a number of two handed rods out there. You will find that each rod has two recommendations per spey line - an "A" or a "B". Basically, the 'A' rating is for more advanced casters and wider rivers where the caster can carry the whole head length of the line outside the rod (55 feet in the case of most WindCutters). This would be where the color change is at the tip ring. For less experienced casters, or in small rivers, the rod will not load as well by having only some of the head inside the rod guides and, therefore, require more weight. This is the 'B' rating.

The "**Skagit Tips**" column refers to either the Skagit shooting head or the Skagit body line. With these lines, the overall weight of the line will increase by the weight of the sink tip and cheater (if used) that is added. That weight increase has been allowed for in these recommendations.

With the popularity of two handed rods growing for overhead casting in the surf, on a lake and even in a river, a new column "OutBound Overhead" is listed and this applies to the correct weight of OutBound line required to load the rod for overhead casting only.

Finally, these recommendations are only guidelines as to the correct line weight to be used. RIO Products is not responsible for any rod breakages or if you find the line does not load as you would wish. How a rod loads is a personal feeling and these recommendations are just a step in the right direction.

Manufacturer	Model	Skagit Tips		AFS	WindCutter		PowerSpey		OutBound Overhead
		Weight	Cheater		A	B	A	B	
Bruce & Walker	Powerlite 12' 4" # 8-9	550	None	8/9	7/8/9	8/9/10	7/8	8/9	WF10
	Powerlite 13' # 8-10	600	2.5ft	8/9	7/8/9	8/9/10	7/8	8/9	WF10
	Powerlite 14' # 9-10	700	5ft	9/10	8/9/10	9/10/11	8/9	9/10	WF11
	Powerlite 14' # 7-10	650	5ft	9/10	8/9/10	9/10/11	8/9	9/10	WF11
	Powerlite 15' # 7-9	600	7.5ft	8/9	7/8/9	8/9/10	7/8	8/9	WF10
	Powerlite 15' # 10	650	7.5ft	10/11	9/10/11	10/11/12	9/10	10/11	WF12
	Powerlite 15' # 11	750	7.5ft	10/11	9/10/11	10/11/12	9/10	10/11	WF13
	Powerlite 16' # 9-10	750	10ft	10/11	9/10/11	10/11/12	9/10	10/11	WF12
	Powerlite 16' # 11	750	10ft	10/11	9/10/11	10/11/12	9/10	10/11	WF13
	Powerlite 18' # 11	750	10ft	10/11	9/10/11	10/11/12	9/10	10/11	WF13
	Parabolic 13' #8/9	550	2.5ft	8/9	7/8/9	8/9/10	7/8	8/9	WF10
	Parabolic 14' #9/10	600	5ft	8/9	7/8/9	8/9/10	7/8	8/9	WF10
	Parabolic 15' #9/10	650	7.5ft	9/10	8/9/10	9/10/11	8/9	9/10	WF11
	Parabolic 16' #10/11	750	10ft	10/11	9/10/11	10/11/12	9/10	10/11	WF13
	Powerlite Deluxe 14' #9/10	700	5ft	9/10	8/9/10	9/10/11	8/9	9/10	WF11
	Powerlite Deluxe 15' #10	700	7.5ft	10/11	9/10/11	10/11/12	9/10	10/11	WF12
	Powerlite Deluxe 16' #10/11	750	10ft	10/11	9/10/11	10/11/12	9/10	10/11	WF13
	Double Spey 13' #8-10	650	2.5ft	9/10	8/9/10	9/10/11	8/9	9/10	WF11
	Double Spey 15' #10-11	750	7.5ft	10/11	9/10/11	10/11/12	9/10	10/11	WF13
	Double Spey 16' #10-11	750	10ft	10/11	9/10/11	10/11/12	9/10	10/11	WF13
Kola 15' 6" #9-11	700	10ft	10/11	9/10/11	10/11/12	9/10	10/11	WF13	
Kola 16' #10/11	750	10ft	10/11	9/10/11	10/11/12	9/10	10/11	WF14	

Manufacturer	Model	Skagit Tips		AFS	WindCutter		PowerSpey		OutBound Overhead
		Weight	Cheater		A	B	A	B	
Bob Meiser	S2H117 - 6	400	None	6/7	6/7/8	7/8/9	5/6	6/7	WF8
	S2H126 - 4	300	None	5/6	4/5	5/6	-	5/6	WF6
	S2H126 - 5	350	None	5/6	5/6	6/7/8	5/6	6/7	WF7
	S2H126 - 6	400	None	6/7	6/7/8	7/8/9	5/6	6/7	WF8
	S2H126 - 7	500	None	7/8	7/8/9	8/9/10	6/7	7/8	WF9
	S2H130 - 5	400	None	5/6	5/6	6/7/8	5/6	6/7	WF6
	S2H130 - 6	400	None	6/7	6/7/8	7/8/9	5/6	6/7	WF8
	S2H130 - 7	450	None	7/8	7/8/9	8/9/10	6/7	7/8	WF9
	S2H130 - 8	500	None	8/9	8/9/10	9/10/11	7/8	8/9	WF10
	S2H136FES - 7/8	5550	2.5ft	8/9	8/9/10	9/10/11	7/8	8/9	WF10
	S2H140 - 7	500	5ft	7/8	7/8/9	8/9/10	6/7	7/8	WF9
	S2H140 - 8	550	5ft	8/9	8/9/10	9/10/11	7/8	8/9	WF10
	S2H140 - 9 EVE	650	5ft	9/10	9/10/11	10/11/12	8/9	9/10	WF12
	S2H140 - 10	700	5ft	10/11	10/11/12	10/11/12	9/10	10/11	WF14
	S2H150 - 8	650	7.5ft	9/10	9/10/11	10/11/12	8/9	9/10	WF11
	S2H150 - 9	700	7.5ft	9/10	9/10/11	10/11/12	9/10	10/11	WF12
	S2H150 - 10	750	7.5ft	10/11	10/11/12	10/11/12	10/11	10/11	WF13
	S2H160 - 8	600	10ft	9/10	9/10/11	10/11/12	8/9	9/10	WF11
	S2H160 - 9	650	10ft	10/11	10/11/12	10/11/12	9/10	10/11	WF12
	S2H160 - 10	750	10ft	10/11	10/11/12	10/11/12	10/11	10/11	WF14
	MKS S2H126 - 6	400	None	6/7	6/7/8	7/8/9	5/6	6/7	WF8
	MKS S2H126 - 7	450	None	7/8	7/8/9	8/9/10	6/7	7/8	WF9
	MKS S2H126 - 8	550	None	8/9	8/9/10	9/10/11	7/8	8/9	WF10
MKS S2H130 - 6	450	None	6/7	5/6	6/7/8	5/6	6/7	WF7	
MKS S2H130 - 7	500	None	7/8	7/8/9	8/9/10	6/7	7/8	WF9	
MKS S2H130 - 8	550	None	8/9	8/9/10	9/10/11	7/8	8/9	WF10	
MKS S2H130 - 10	750	None	10/11	9/10/11	10/11/12	9/10	10/11	WF12	
MKS S2H136 - 8	600	2.5ft	8/9	8/9/10	9/10/11	7/8	8/9	WF10	
MKS S2H136 - 9	650	2.5ft	9/10	9/10/11	10/11/12	8/9	9/10	WF12	
MKS S2H140 - 7	450	5ft	7/8	7/8/9	8/9/10	6/7	7/8	WF9	
MKS S2H140 - 8	500	5ft	8/9	8/9/10	9/10/11	7/8	8/9	WF10	
MKS S2H140 - 10	700	5ft	9/10	9/10/11	10/11/12	8/9	9/10	WF10	
MKS S2H150 - 8	550	7.5ft	8/9	8/9/10	9/10/11	7/8	8/9	WF11	
MKS S2H150 - 9	650	7.5ft	9/10	9/10/11	10/11/12	8/9	9/10	WF12	
MKS S2H150 - 10	750	7.5ft	10/11	10/11/12	10/11/12	9/10	10/11	WF13	
System 2	300	None	4/5	4/5	4/5	-	-	WF7	
System 4	300	None	5/6	4/5	5/6	-	5/6	WF8	
System 6	350	None	6/7	5/6	6/7/8	5/6	6/7	WF9	
System 8	400	None	7/8	6/7/8	7/8/9	6/7	7/8	WF10	
System 10	450	None	8/9	7/8/9	8/9/10	7/8	8/9	WF11	
System 12	550	None	9/10	8/9/10	9/10/11	8/9	9/10	WF13	

These recommendations are directly from Bob Meiser - not RIO

Manufacturer	Model	Skagit Tips		AFS	WindCutter		PowerSpey		OutBound Overhead
		Weight	Cheater		A	B	A	B	
Burkheimer	CF7129-3	400	2.5ft	6/7	6/7/8	7/8/9	6/7	7/8	WF9
	CF7137-3	450	2.5ft	6/7	6/7/8	7/8/9	6/7	7/8	WF9
	CF8133-3	450	2.5ft	7/8	7/8/9	8/9/10	7/8	8/9	WF10
	CF8139-3	550	5ft	7/8	7/8/9	8/9/10	7/8	8/9	WF10
	CF9143-3	550	5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF11
	CF9149-3	550	5ft	9/10	8/9/10	9/10/11	9/10	9/10	WF11
	CF10150-3	650	7.5ft	9/10	9/10/11	10/11/12	9/10	10/11	WF12
	CF11150-3	750	7.5ft	10/11	10/11/12	10/11/12	10/11	10/11	WF13
Cabelas	LST12489/4	500	None	7/8	7/8/9	8/9/10	7/8	8/9	WF10
	LST13089/4	550	2.5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF11
	LST140910/4	650	5ft	9/10	9/10/11	10/11/12	9/10	10/11	WF12
CND	Expert 13' # 7/8	400	2.5ft	7/8	6/7/8	7/8/9	7/8	8/9	WF9
	Expert 13' # 8/9	450	5ft	7/8	6/7/8	7/8/9	7/8	8/9	WF9
	Expert 14' # 9/10	600	5ft	8/9	7/8/9	8/9/10	8/9	9/10	WF10
	Expert 15' # 10/11	700	7.5ft	9/10	8/9/10	9/10/11	9/10	10/11	WF11
	Solstice 13' 4" # 6/7	400	5ft	6/7	6/7/8	7/8/9	6/7	7/8	WF9
	Solstice 14' 3" # 7/8	500	5ft	7/8	7/8/9	8/9/10	7/8	8/9	WF10
	Solstice 15' 2" # 8/9	600	7.5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF11
	Solstice 16' 1" # 9/10	700	10ft	9/10	9/10/11	10/11/12	9/10	10/11	WF12
	Sp. 13' 3" #8/9	500	5ft	7/8	7/8/9	8/9/10	7/8	8/9	WF10
	Sp. 13' 8" #9	550	5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF11
	Sp. 14' 4" #8/9/10	600	10ft	8/9	8/9/10	9/10/11	8/9	9/10	WF11
	Sp. 15' 6" #9/10/11	650	7.5ft	9/10	9/10/11	10/11/12	9/10	10/11	WF12
	Sp. 16' 7" #10/11/12	750	10ft	10/11	10/11/12	10/11/12	10/11	10/11	WF13
	Oceana 11' 1" 9/10	-	-	-	-	-	-	-	WF11
	Oceana 11' 1" 11/12	-	-	-	-	-	-	-	WF13
	BS 12' 6" #5/6/7	350	None	4/5	4/5	5/6	-	5/6	WF7
	BS 13' #6/7/8	400	2.5ft	5/6	5/6	6/7/8	-	6/7	WF8
	BS 13' 6" #7/8/9	500	5ft	6/7	6/7/8	7/8/9	6/7	7/8	WF9
	BS 14' #8/9/10	550	5ft	7/8	7/8/9	8/9/10	7/8	8/9	WF10
	BS 15' #9/10/11	700	7.5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF11
Daiwa	EX1209-3	550	None	7/8	7/8/9	8/9/10	7/8	8/9	WF10
	EX1310-3	600	2.5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF11
	EX1410-3	650	5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF11
	EX1511-3	700	7.5ft	9/10	9/10/11	10/11/12	9/10	10/11	WF13

Manufacturer	Model	Skagit Tips		AFS	WindCutter		PowerSpey		OutBound Overhead
		Weight	Cheater		A	B	A	B	
Echo	Classic 12' 6" 6/7	400	None	5/6	5/6	6/7/8	5/6	6/7	WF8
	Classic 13' 7/8	500	2.5ft	6/7	6/7/8	7/8/9	6/7	7/8	WF9
	Classic 13' 6" 8/9	550	5ft	7/8	7/8/9	8/9/10	7/8	8/9	WF10
	Classic 14 9/10	700	5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF11
	Scandinavian 12' 4" #7	450	None	6/7	6/7/8	7/8/9	6/7	7/8	WF9
	Scandinavian 12' 4" #8	550	None	7/8	7/8/9	8/9/10	7/8	8/9	WF10
	Scandinavian 12' 6" #9	650	None	8/9	8/9/10	9/10/11	8/9	9/10	WF11
Elkhorn	1156-4	450	None	6/7	6/7/8	7/8/9	5/6	6/7	WF8
	1267-6	500	None	7/8	6/7/8	7/8/9	6/7	7/8	WF9
	1489-6	600	5ft	9/10	8/9/10	9/10/11	8/9	9/10	WF11
Gary Anderson	1415-6 EPS	300	None	4/5	-	4/5	-	-	WF6
	1215-4 EPS	300	None	4/5	-	4/5	-	-	WF6
	1195-5 LS	300	None	5/6	4/5	5/6	-	5/6	WF7
	1316-4 LS	350	2.5ft	6/7	5/6	6/7/8	5/6	6/7	WF8
	1386-5 LS	350	5ft	5/6	4/5	5/6	-	5/6	WF8
	1237-5 LS	400	None	7/8	6/7/8	7/8/9	6/7	7/8	WF9
	1397-4 EPS	400	5ft	6/7	5/6	6/7/8	5/6	6/7	WF8
	1238-4 EPS	450	None	7/8	6/7/8	7/8/9	6/7	7/8	WF9
	1518-4 LS	500	7.5ft	8/9	7/8/9	8/9/10	7/8	8/9	WF10
	1398-4 EPS	500	5ft	7/8	6/7/8	7/8/9	6/7	7/8	WF9
	1368-4 LS	600	5ft	8/9	7/8/9	8/9/10	7/8	8/9	WF10
	1449-5 LS	600	5ft	9/10	8/9/10	9/10/11	8/9	9/10	WF11
Hardy	Angel 12' #7	500	None	7/8	6/7/8	7/8/9	6/7	7/8	WF9
	Angel 13' #8	650	5ft	8/9	7/8/9	8/9/10	7/8	8/9	WF10
	Angel 14' #9	700	5ft	9/10	8/9/10	9/10/11	8/9	9/10	WF11
	Angel 15' #10	750	7.5ft	10/11	9/10/11	10/11/12	9/10	10/11	WF12
	Swift 11' 6" #7	500	None	6/7	6/7/8	7/8/9	6/7	7/8	WF9
	Swift 13' #8	550	2.5ft	7/8	7/8/9	8/9/10	7/8	8/9	WF10
	Swift 14' #9	600	5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF11
	Swift 15' #10	750	7.5ft	9/10	9/10/11	10/11/12	9/10	10/11	WF12
	Swift 16' #11	750	10ft	10/11	10/11/12	10/11/12	10/11	10/11	WF13

Manufacturer	Model	Skagit Tips		AFS	WindCutter		PowerSpey		OutBound Overhead
		Weight	Cheater		A	B	A	B	
Loomis	Gr. Ln. 15' #7/8	500	10ft	7/8	7/8/9	8/9/10	7/8	8/9	WF10
	Gr. Ln. 14' #8/9	550	5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF11
	Gr. Ln. 15' #8/9	600	7.5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF11
	Gr. Ln. 15' #9/10	650	7.5ft	9/10	9/10/11	10/11/12	9/10	10/11	WF12
	Gr. Ln. 16' #9/10	700	10ft	9/10	9/10/11	10/11/12	9/10	10/11	WF12
	Gr. Ln. 15' #10/11	750	7.5ft	10/11	10/11/12	10/11/12	10/11	10/11	WF13
	Gr. Ln. 17' #10/11	750	10ft	10/11	10/11/12	10/11/12	10/11	10/11	WF13
	Dredger 12' 9" #6/7	450	None	5/6	5/6	6/7/8	5/6	6/7	WF8
	Dredger 13' 4" #7/8	500	2.5ft	6/7	6/7/8	7/8/9	6/7	7/8	WF9
	Dredger 13' 9" #8/9	550	5ft	7/8	7/8/9	8/9/10	7/8	8/9	WF10
	Dredger 14' #9/10	650	5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF11
	Stinger 12' 6" #7/8	500	None	7/8	7/8/9	8/9/10	7/8	8/9	WF10
	Stinger 12' 6" #8/9	600	None	8/9	8/9/10	9/10/11	8/9	9/10	WF11
	Stinger 12' 6" #9/10	650	None	9/10	9/10/11	10/11/12	9/10	10/11	WF12
	Stinger 14' #9/10	700	5ft	9/10	9/10/11	10/11/12	9/10	10/11	WF12
	Stinger 15' #10/11	750	10ft	10/11	10/11/12	10/11/12	10/11	10/11	WF13
	Metolius 13' 4" #5/6	400	2.5ft	5/6	4/5	5/6	-	5/6	WF7
Loop	Grey 9130 - 4	600	2.5ft	9/10	8/9/10	9/10/11	8/9	9/10	WF11
	Grey 10150 - 4	700	7.5ft	10/11	9/10/11	10/11/12	9/10	10/11	WF12
	Green 8124 - 4	550	None	7/8	7/8/9	8/9/10	7/8	8/9	WF10
	Green 9132 - 4	600	2.5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF11
	Green 9140 - 4	650	5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF11
	Green 10150 - 4	750	7.5ft	9/10	9/10/11	10/11/12	9/10	10/11	WF12
	Black 8124 - 4	500	None	6/7	6/7/8	7/8/9	6/7	7/8	WF9
	Black 9140 - 4	600	5ft	7/8	7/8/9	8/9/10	7/8	8/9	WF10
	Blue 7116 - 4	450	None	6/7	6/7/8	7/8/9	6/7	7/8	WF9
	Blue 8124 - 4	500	None	7/8	7/8/9	8/9/10	7/8	8/9	WF10
	Blue 9132 - 4	550	2.5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF11
	Blue 9140 - 4	600	5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF11
	Blue 10150 - 4	700	7.5ft	9/10	9/10/11	10/11/12	9/10	10/11	WF12
	Yellow 8124-4	450	None	6/7	6/7/8	7/8/9	6/7	7/8	WF9
	Yellow 9132-4	500	2.5ft	7/8	7/8/9	8/9/10	7/8	8/9	WF10
	Yellow 9140-4	550	5ft	7/8	7/8/9	8/9/10	7/8	8/9	WF10
Orvis	Clearwater 1267/8 - 3	400	None	6/7	6/7/8	7/8/9	6/7	7/8	WF9
	Clearwater 1368/9 - 3	500	5ft	7/8	7/8/9	8/9/10	7/8	8/9	WF10
	Clearwater 149/10 - 3	550	5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF11
	Clearwater 1510/11 - 4	650	7.5ft	9/10	9/10/11	10/11/12	9/10	10/11	WF13
	Streamline 14' 9/10	600	5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF11
	Streamline 15' 10/11	700	7.5ft	9/10	9/10/11	10/11/12	9/10	10/11	WF13

Manufacturer	Model	Skagit Tips		AFS	WindCutter		PowerSpey		OutBound Overhead
		Weight	Cheater		A	B	A	B	
RainShadow	IF 1266-4	400	None	5/6	5/6	6/7/8	5/6	6/7	WF7
	IF1307-4	400	None	5/6	5/6	6/7/8	5/6	6/7	WF7
	IF1368-4	450	2.5ft	6/7	6/7/8	7/8/9	6/7	7/8	WF9
	IF1409-4	550	5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF11
Redington	Redfly 2 13' # 8	550	2.5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF11
	Redfly 2 14' #9	650	5ft	9/10	9/10/11	10/11/12	9/10	10/11	WF12
	Redfly 2 15' # 10	750	7.5ft	10/11	10/11/12	10/11/12	10/11	10/11	WF13
	RS4 13' 3"#7	500	2.5ft	7/8	7/8/9	8/9/10	7/8	8/9	WF10
	RS4 14' #8	550	5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF11
	RS4 14' 9" #9	650	7.5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF12
Scierra	HMS 15' 1" #10/11	750	10ft	10/11	9/10/11	10/11/12	9/10	10/11	WF13
St. Croix	A1378.3	450	2.5ft	6/7	6/7/8	7/8/9	6/7	7/8	WF9
	A14910.3	550	5ft	7/8	7/8/9	8/9/10	7/8	8/9	WF10
	A151011.3	650	7.5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF11
	U12667.4	400	None	6/7	6/7/8	7/8/9	6/7	7/8	WF9
	U1378.4	450	5ft	7/8	7/8/9	8/9/10	7/8	8/9	WF10
	U1489.4	550	5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF11
	U15910.4	650	7.5ft	9/10	9/10/11	10/11/12	9/10	10/11	WF12
Sage	Fli 8140-4	600	5ft	9/10	8/9/10	9/10/11	8/9	9/10	WF10
	TCR 8123 - 4	650	None	8/9	8/9/10	9/10/11	8/9	9/10	WF11
	TCR 9129 - 4	750	2.5ft	9/10	9/10/11	10/11/12	9/10	10/11	WF12
	TCR 9140 - 4	750	5ft	9/10	9/10/11	10/11/12	9/10	10/11	WF12
	TCR 10150 - 4	750	7.5ft	10/11	10/11/12	10/11/12	10/11	10/11	WF13
	VT2 7130-4	500	2.5ft	7/8	7/8/9	8/9/10	7/8	8/9	WF10
	VT2 8139-4	550	5ft	7/8	7/8/9	8/9/10	7/8	8/9	WF11
	VT2 9144-4	650	5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF12
	Z-Axis 5110-4	300	None	4/5	4/5	5/6	-	-	WF6
	Z-Axis 5126-4	300	None	4/5	4/5	5/6	-	5/6	WF6
	Z-Axis 6110-4	300	None	5/6	4/5	5/6	-	5/6	WF7
	Z-Axis 7110-4	350	None	6/7	5/6	6/7/8	5/6	6/7	WF8
	Z-Axis 8110-4	450	None	7/8	7/8/9	8/9/10	6/7	7/8	WF10
	Z-Axis 6126-4	400	None	5/6	5/6	6/7/8	5/6	6/7	WF8
	Z-Axis 7136-4	450	5ft	6/7	6/7/8	7/8/9	6/7	7/8	WF9
	Z-Axis 8129-4	550	2.5ft	7/8	7/8/9	8/9/10	7/8	8/9	WF10
	Z-Axis 9143-4	600	5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF11
	Z-Axis 10150-4	700	7.5ft	9/10	8/9/10	9/10/11	8/9	9/10	WF12
Z-Axis 10160-4	750	10ft	10/11	9/10/11	10/11/12	9/10	10/11	WF13	

Manufacturer	Model	Skagit Tips		AFS	WindCutter		PowerSpey		OutBound Overhead
		Weight	Cheater		A	B	A	B	
Scott	T2H 1085	300	None	4/5	4/5	5/6	-	-	WF6
	T2H 1088	400	None	6/7	6/7/8	7/8/9	-	-	WF9
	T2H 1256	350	2.5ft	5/6	5/6	6/7/8	5/6	6/7	WF7
	T2H 1258	400	2.5ft	6/7	6/7/8	7/8/9	6/7	7/8	WF9
	T2H 1357	450	5ft	6/7	6/7/8	7/8/9	6/7	7/8	WF8
	T2H 1409	550	5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF10
	T2H 1458	500	7.5ft	7/8	7/8/9	8/9/10	7/8	8/9	WF9
	T2H 1509	600	7.5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF10
	T2H 1510	750	7.5ft	9/10	9/10/11	10/11/12	9/10	10/11	WF11
	T2H 1610	750	10ft	9/10	9/10/11	10/11/12	9/10	10/11	WF12
	LS2 1206-4	350	None	5/6	5/6	6/7/8	5/6	6/7	WF8
	LS2 1307/4	450	2.5ft	6/7	6/7/8	7/8/9	6/7	7/8	WF9
	LS2 1408/4	550	5ft	7/8	8/9/10	9/10/11	7/8	8/9	WF10
	LS2 1509/4	600	7.5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF11
	LS2 1610/4	700	10ft	9/10	9/10/11	10/11/12	9/10	10/11	WF12
	A2 1308	550	2.5ft	7/8	7/8/9	8/9/10	7/8	8/9	WF10
	A21409	650	5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF11
	A21510	750	7.5ft	9/10	9/10/11	10/11/12	9/10	10/11	WF12
Temple Fork	11' #5 Pro	300	None	4/5	4/5	5/6	-	5/6	WF7
	12' 6" #6 Pro	400	None	5/6	5/6	6/7/8	5/6	6/7	WF8
	12' 6" #8 Pro	500	None	7/8	7/8/9	8/9/10	7/8	8/9	WF10
	13' 3" #8 Pro	550	5ft	7/8	8/9/10	9/10/11	8/9	9/10	WF11
	14' #9 Pro	650	10ft	8/9	9/10/11	10/11/12	9/10	10/11	WF12
	15' #10 Pro	750	7.5ft	9/10	10/11/12	10/11/12	10/11	10/11	WF12
	13' 9" #9/10 Sca	650	5ft	9/10	9/10/11	10/11/12	9/10	10/11	WF12
	14' 9" #10/11 Sca	700	10ft	10/11	9/10/11	10/11/12	9/10	10/11	WF13
	12' #12 T	-	-	-	-	-	-	-	WF13
Thomas & Thomas	1006 - 3	350	None	5/6	4/5	5/6	5/6	5/6	WF8
	1107 - 3	400	None	7/8	6/7/8	7/8/9	6/7	7/8	WF9
	1206 - 3	400	None	6/7	5/6	6/7/8	5/6	6/7	WF8
	1208 - 3	500	None	8/9	7/8/9	8/9/10	7/8	8/9	WF10
	1208 - 4	500	None	8/9	7/8/9	8/9/10	7/8	8/9	WF10
	1212 - 3	-	-	-	-	-	-	-	WF12
	1307 - 3	500	2.5ft	7/8	6/7/8	7/8/9	6/7	7/8	WF9
	1308 - 4	550	2.5ft	8/9	7/8/9	8/9/10	7/8	8/9	WF10
	1309 - 3	600	2.5ft	9/10	8/9/10	9/10/11	8/9	9/10	WF11
	1309 - 4	600	2.5ft	9/10	8/9/10	9/10/11	8/9	9/10	WF11
	1409 - 3	650	5ft	9/10	8/9/10	9/10/11	8/9	9/10	WF11

Manufacturer	Model	Skagit Tips		AFS	WindCutter		PowerSpey		OutBound Overhead
		Weight	Cheater		A	B	A	B	
T&T (Cont.)	1409 - 5	600	5ft	9/10	8/9/10	9/10/11	8/9	9/10	WF11
	1410 - 3	650	5ft	10/11	9/10/11	10/11/12	9/10	10/11	WF12
	1509 - 3	600	7.5ft	9/10	8/9/10	9/10/11	8/9	9/10	WF11
	1510 - 3	750	7.5ft	10/11	9/10/11	10/11/12	9/10	10/11	WF12
	1510 - 5	700	7.5ft	10/11	9/10/11	10/11/12	9/10	10/11	WF12
	1511 - 3	750	7.5ft	10/11	10/11/12	10/11/12	10/11	10/11	WF13
	1511 - 6	750	7.5ft	10/11	10/11/12	10/11/12	10/11	10/11	WF13
	1611 - 3	750	10ft	10/11	10/11/12	10/11/12	10/11	10/11	WF14
	1711 - 4	750	10ft	10/11	10/11/12	10/11/12	10/11	10/11	WF14
Winston	Vapor 12' 6" # 6/7	350	None	5/6	5/6	6/7/8	5/6	6/7	WF8
	Vapor 14' # 8/9	500	5ft	7/8	7/8/9	8/9/10	7/8	8/9	WF10
	Bllx 13' # 8/9	550	2.5ft	7/8	7/8/9	8/9/10	7/8	8/9	WF11
	Bllx 13' 3" # 7/8	500	2.5ft	6/7	6/7/8	7/8/9	6/7	7/8	WF9
	Bllx 14' # 8/9	550	5ft	7/8	7/8/9	8/9/10	7/8	8/9	WF10
	Bllx 15' # 9/10	650	7.5ft	8/9	8/9/10	9/10/11	8/9	9/10	WF11

If you have an older model rod that is not shown here, check out the other PDF file "Older rods Spey line recs."

The Skagit cheater length is based on using 15 ft sink tips. For shorter sink tips, use a longer cheater and for longer tips use a shorter one